

Application Spotlight

Classroom CO₂ Monitoring for Energy Efficiency Stimulus

As of January 1, 2021, the State of California has enacted an Energy Efficiency Stimulus Program for schools using Carbon Dioxide (CO₂) Sensors in classrooms.

Assembly Bill No. 841 – Chapter 372 –Section 1625


Energy Efficiency Programs: School Energy Efficiency Stimulus Program

(a) To ensure proper ventilation is maintained throughout the school year, **ALL** classrooms shall be equipped with a carbon dioxide monitor that meets all of the following requirements:

1. The monitor is hard-wired or plugged-in and mounted to the wall between three and six feet above the floor and at least five feet away from the door and operable windows.
2. The monitor **displays the carbon dioxide reading to the teacher** through a display on the device or other means such as a web-based application or cellular phone application.
3. The monitor **provides a notification through a visual indicator on the monitor**, such as an indicator light, or other alert system, such as an electronic mail, text, or cellular telephone application, when the carbon dioxide levels in the classroom have exceeded 1,100 ppm.
4. The monitor maintains a record of previous data that includes at least the maximum carbon dioxide concentration measured.
5. The monitor has a **range of 400 ppm to 2,000 ppm** or greater.
6. The monitor is certified by the manufacturer to be **accurate within 75 ppm at 1,000 ppm** carbon dioxide concentration and is certified by the manufacturer to **require calibration no more frequently that once every five years**.



OEM Solutions



T6613 Single-Channel



T6713 Single-Channel

Transmitter Solutions



T8100-D Ventostat



T5100-LED Airestat



NOTE: Transmitter Solutions must be connected to contractor-furnished and - installed Temperature Control system in order to meet code requirements.

AAS Advantage

Amphenol Advanced Sensors, with its portfolio of industry-leading brands - Thermometrics, NovaSensor, Telaire, Protimeter and Kaye - is a trusted OEM partner providing temperature, pressure, CO₂, humidity, and dust sensor solutions to providers in HVAC, automotive, industrial, and healthcare markets.

Telaire has been at the forefront of Carbon Dioxide (CO₂) sensing technology for 30+ years as the originator of the maintenance free CO₂ infrared sensor. Telaire continues to lead the way in innovation with over 35 technology patents, including ABC Logic™ and warrants single-wavelength sensor calibration for the life of the sensor. Telaire offers a complete line of CO₂ sensors for a wide range of applications. These can be viewed at www.telaire.com.

Amphenol

Advanced Sensors

www.amphenol-sensors.com

© 2021 Amphenol Corporation. All Rights Reserved. Specifications are subject to change without notice. Other company names and product names used in this document are the registered trademarks or trademarks of their respective owners.